

Revision Date: 12.09.2018

Print Date: 20.09.2022

SDS Number: R0517092 Version: 5.0

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	SynPower™ MST C3 5W30

™ Trademark, Valvoline or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use : Engine, gear & lubricating oil.

1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht	1.4 Emergency telephone number 00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112
Netherlands +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person	Product Information +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person
SDS@valvoline.com	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH208	Contains CALCIUM LONG CHAIN ALKARYL SULFONATE, Benzenesulfonic
	acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts. May produce
	an allergic reaction.
EUH210	Safety data sheet available on request.



SAFETY DATA SHEET	Revision Date: 12.09.2018
	Print Date: 20.09.2022
	SDS Number: R0517092
SynPower™ MST C3 5W30	Version: 5.0
™ Trademark, Valvoline or its subsidiaries, registered in various	
countries	
872596	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. **Additional advice**

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
AMINES, POLYETHYLENEPOLY -, REACTION PRODUCTS WITH 1,3- DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTE NYL DERIVS.	147880-09-9 604-611-9	Aquatic Chronic4; H413	>= 5,00 - < 10,00
Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based	72623-87-1 276-738-4 01-2119474889-13-xxxx	Asp. Tox.1; H304	>= 2,50 - < 5,00
Reaction products of Benzeneamine, N- phenyl- with nonene (branched)	36878-20-3 01-2119488911-28-xxxx	Aquatic Chronic4; H413	>= 1,00 - < 2,50
CALCIUM LONG CHAIN ALKARYL SULFONATE	722503-69-7	Skin Sens.1; H317 Aquatic Chronic4; H413	>= 0,50 - < 1,00
Benzenesulfonic acid, methyl-, mono-C20-24- branched alkyl derivs., calcium salts	722503-68-6	Skin Sens.1B; H317 Aquatic Chronic4; H413	>= 0,50 - < 1,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures



Revision Date: 12.09.2018

Print Date: 20.09.2022 SDS Number: R0517092

Version: 5.0

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

4.1 Description of first aid measures

General advice	No hazards which require special first aid measures.	
If inhaled	If breathed in, move person into fresh air. If unconscious, place in recovery position and seek me advice. If symptoms persist, call a physician.	dical
In case of skin contact	First aid is not normally required. However, it is recommended that exposed areas be cleaned by wash with soap and water.	ling
In case of eye contact	Remove contact lenses. Protect unharmed eye.	
If swallowed	Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious perso If symptoms persist, call a physician.	on.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: No symptoms known or expected.
----------	----------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: No hazards which require special first aid measures.
-----------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Do not allow run-off from fire fighting to enter dra courses.	ains or water
Hazardous combustion products	carbon dioxide and carbon monoxide Nitrogen oxides (NOx)	



Revision Date: 12.09.2018

Print Date: 20.09.2022 SDS Number: R0517092

Version: 5.0

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

5.3 Advice for firefighters

Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Specific extinguishing methods	: Product is compatible with standard fire-fighting agents.
Further information	: Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations. 6.2 Environmental precautions Environmental precautions Prevent further leakage or spillage if safe to do so. 6.3 Methods and material for containment and cleaning up Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8.
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Hygiene measures	: General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage : No materials to be especially mentioned.



Revision Date: 12.09.2018

Print Date: 20.09.2022 SDS Number: R0517092

Version: 5.0

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

Other data

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)

: No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection	:	Not required under normal conditions of use. Wear splash- proof safety goggles if material could be misted or splashed into eyes.
Hand protection		
Remarks	:	Nitrile rubber butyl-rubber
Skin and body protection	:	Wear as appropriate: Safety shoes
Respiratory protection	:	No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	amber
Odour	:	oily



SDS Number: R0517092 Version: 5.0

Revision Date: 12.09.2018 Print Date: 20.09.2022

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

:	No data available
:	Not applicable
:	< -39 °C
:	No data available
:	205 °C
	Method: Cleveland open cup
:	No data available
	No data available
:	No data available
:	No data available
:	ca. 0,854 g/cm3 (15,6 °C)
:	Not applicable
:	insoluble
:	No data available
:	ca. 72 mm2/s (40 °C)
:	No data available

Valvoline.	Page: 7
SAFETY DATA SHEET	Revision Date: 12.09.2018
	Print Date: 20.09.2022
	SDS Number: R0517092
SynPower™ MST C3 5W30	Version: 5.0
™ Trademark, Valvoline or its subsidiaries, registered in various countries	

9.2 Other information

872596

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.

10.4 Conditions to avoid

ne known.
)

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : No hazardous decomposition products are known. products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Eye Contact
		Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 2.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate : > 20 mg/l Exposure time: 4 h



Revision Date: 12.09.2018

Print Date: 20.09.2022

SDS Number: R0517092 Version: 5.0

SynPower™ MST C3 5W30
Trademark, Valvoline or its subsidiaries, registered in various
countries
872596

Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity	:	Acute toxicity estimate : > 2.000 mg/kg
		Method: Calculation method

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:					
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg				
Acute inhalation toxicity	 LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Not classified as acutely toxic by inhalation under GHS. Remarks: No mortality observed at this dose. 				
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose.				

Components:

<u>oomponontoi</u>				
REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):				
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg			
	Remarks: No mortality observed at this dose.			
Acute dermal toxicity	 LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: Information given is based on data obtained from similar substances. 			

Skin corrosion/irritation

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based: Species: Rabbit Result: No skin irritation

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Rabbit Result: Mild skin irritation Remarks: Information given is based on data obtained from similar substances.

Serious eye damage/eye irritation

Not classified based on available information.





Print Date: 20.09.2022 SDS Number: R0517092 Version: 5.0

Revision Date: 12.09.2018

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Species: Rabbit Result: No eye irritation

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Rabbit Result: Slight, transient irritation Remarks: Information given is based on data obtained from similar substances.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Test Type: Buehler Test Species: Guinea pig Assessment: Does not cause skin sensitisation.

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Species: Guinea pig Assessment: Does not cause skin sensitisation. Method: OECD Test Guideline 406 Remarks: Information given is based on data obtained from similar substances.

CALCIUM LONG CHAIN ALKARYL SULFONATE:

Assessment: May cause sensitisation by skin contact.

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts: Assessment: The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified based on available information.

Components:

REACTION PROD. OF BENZENEAMINE, N-PHENYL- W/ NONENE (BRANCHED):

Genotoxicity in vitro

Test Type: Ames test
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation

9/16

Version: 5.0

Revision Date: 12.09.2018

Print Date: 20.09.2022 SDS Number: R0517092



SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based:

Carcinogenicity -
AssessmentClassified based on DMSO extract content < 3% (Regulation
(EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based: May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

AMINES, POLYETHYLENEPOLY-, REACTION PRODUCTS WITH 1,3-DIOXOLAN-2-ONE AND SUCCINIC ANHYDRIDE MONOPOLYISOBUTENYL DERIVS. Ecotoxicology Assessment

Long-term (chronic) aquatic : May cause long lasting harmful effects to aquatic life. hazard

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Revision Date: 12.09.2018



	1	Print Date: 20.09.2022
		SDS Number: R0517092
SynPower™ MST C3 5W30		Version: 5.0
[™] Trademark, Valvoline or its subsidiaries, registered in various		
countries		
872596		

	Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202
Toxicity to algae	: NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOELR: >= 1.000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211
Reaction products of Benzenea Toxicity to fish	amine, N-phenyl- with nonene (branched) : LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test Remarks: Information given is based on data obtained from similar substances.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (algae)): 600 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test

CALCIUM LONG CHAIN ALKARYL SULFONATE



SAFETY DATA SHEET	Revision Date: 12.09.2018
	Print Date: 20.09.2022
	SDS Number: R0517092
SynPower™ MST C3 5W30 ™ Trademark, Valvoline or its subsidiaries, registered in various countries 872596	Version: 5.0

Ecotoxicology Assessment Long-term (chronic) aquatic : May cause long lasting harmful effects to aquatic life. hazard Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts Ecotoxicology Assessment Long-term (chronic) aquatic : May cause long lasting harmful effects to aquatic life. hazard

12.2 Persistence and degradability

Components:

Lubricating Oils (Petroleum), C2	20-50, Hydrotreated Neutral Oil-Based
Biodegradability	: Result: Not readily biodegradable. Biodegradation: 2 - 4 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B
Reaction products of Benzenea	mine, N-phenyl- with nonene (branched)
Biodegradability	: Result: Not readily biodegradable.
	Biodegradation: 0%
	Exposure time: 28 d
	Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Reaction products of Benzeneamine, N-phenyl- with nonene (branched) Partition coefficient: noctanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological

: No data available

Devision Date: 12.00.2019



SAFEIY DATA SHEET	Revision Date: 12.09.2018
	Print Date: 20.09.2022
	SDS Number: R0517092
SynPower™ MST C3 5W30	Version: 5.0
Trademark, Valvoline or its subsidiaries, registered in various	
countries	
872596	

information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable

Page:	14	

Revision Date: 12.09.2018



SALLI DATA SILLI	
	Print Date: 20.09.2022
	SDS Number: R0517092
SynPower™ MST C3 5W30 ™ Trademark, Valvoline or its subsidiaries, registered in vario countries 872596	ous Version: 5.0
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 57).	: Not applicable

Regulation (EC) No 649/2012 of the European : Not applicable Parliament and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

• •	ct are reported in the following inventories: All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	Not in compliance with the inventory
TCSI	Not in compliance with the inventory
TSCA	On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Revision Date: 12.09.2018



 Print Date: 20.09.2022

 SynPower™ MST C3 5W30
 Version: 5.0

 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 Version: 5.0

 872596
 Version: 5.0

Further information

Revision Date: 12.09.2018

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department ('+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.



Revision Date: 12.09.2018

Print Date: 20.09.2022 SDS Number: R0517092

Version: 5.0

SynPower™ MST C3 5W30

[™] Trademark, Valvoline or its subsidiaries, registered in various countries 872596

ICxx : Inhibitory Concentration for xx of a substance Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified OECD : Organization for Economic Co-operation and Development OEL : Occupational Exposure Limit P-Statement : Precautionary Statement PBT : Persistent , Bioaccumulative and Toxic PPE : Personal Protective Equipment STEL : Short-term exposure limit STOT : Specific Target Organ Toxicity TLV : Threshold Limit Value TWA : Time-weighted average vPvB : Very Persistent and Very Bioaccumulative WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands ADR : Agreement concerning the International Carriage of Dangerous Goods by Road. ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine CLP : Classification, Labelling and Packaging CSA : Chemical Safety Assessment CSR : Chemical Safety Report DNEL : Derived No Effect Level. EINECS : European Inventory of Existing Commercial Chemical Substances. ELINCS : European List of Notified Chemical Substances **PEC : Predicted Effect Concentration** PEL : Permissible Exposure Limits **PNEC : Predicted No Effect Concentration** R-phrase : Risk phrase REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulation Concerning the International Transport of Dangerous Goods by Rail S-phrase: Safety phrase WGK : German Water Hazard Class